

KOMPAKT 37 / Accessories

5m cable with M12 socket



Part No.: 960.000.47

MECHANICAL DATA

| | |
|------------------------------|-----------------------------|
| Length | 5000 mm |
| Diameter | 6 mm |
| Connection | M12 socket 8-pole |
| cross-sectional area maximum | 0,25mm ² / 24AWG |
| Weight with packaging | 243 g |
| Product weight | 243 g |

ELECTRICAL DATA

| | |
|---------------------------|------|
| Rated operational current | 2 mA |
|---------------------------|------|

APPROVAL DATA

| | |
|-------------------------------|--------------------------------|
| Conforms with CE | No |
| Conforms with RoHS directive | Fulfills substance restriction |
| WEEE | No |
| Conforms with ATEX-directive | No |
| Conforms with CCC | No |
| Conforms with UL | No |
| Conforms with FCC | No |
| Conforms with IC | No |
| EAC certificate available | No |
| Conforms with UKCA (Importer) | No |
| Conforms with AS-I | No |
| ICAO Certification | No |
| Conforms with DNV | No |
| Conforms with RoHS CN | No |




For additional installation and mounting information, refer to the appropriate user guide at www.werma.com. This printed copy is for information only and is subject to alteration.

KOMPAKT 37 / Accessories

5m cable with M12 socket

TERMINAL ASSIGNMENT




For additional installation and mounting information, refer to the appropriate user guide at www.werma.com. This printed copy is for information only and is subject to alteration.

KOMPAKT 37 / Accessories

5m cable with M12 socket

GENERAL



For additional installation and mounting information, refer to the appropriate user guide at www.werma.com. This printed copy is for information only and is subject to alteration.