CERTIFICATE OF COMPLIANCE

Certificate Number	UL-CA-L164155-3210-82906102-1
Report Reference	E164155-20160928
Date	17-Dec-2022
Issued to:	WERMA Signaltechnik GmbH + Co. KG Duerbheimer Str. 15 Rietheim-Weilheim 78604 Germany
This is to certify that representative samples of	NMTR7 - Power Circuit and Motor-mounted Apparatus Certified for Canada See Addendum Page for Product Designation(s). Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.
Standard(s) for Safety:	CSA C22.2 No. 14:18, 13th Ed., Issue Date: 2018-03, Revision Date: 2022-06
Additional Information:	See the UL Online Certifications Directory at https://iq.ulprospector.com for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

Deborah Jennings-Conner

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-L164155-3210-82906102-1
Report Reference E164155-20160928
Date 17-Dec-2022

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
Modular signal tower series KombiSIGN40, 630 70x 75	Terminal elements
Modular signal tower series KombiSIGN40, 630 71x 00	Mounting adapter
Modular signal tower series KombiSIGN40, 630 72x 00	Mounting adapter
Modular signal tower series KombiSIGN40, 630 73x 00	Mounting adapter
Modular signal tower series KombiSIGN40, 630 80x 75	Terminal elements
Modular signal tower series KombiSIGN40, 630 81x 00	Mounting adapter
Modular signal tower series KombiSIGN40, 630 82x 00	Mounting adapter
Modular signal tower series KombiSIGN40, 630 83x 00	Mounting adapter
631 40x 55	Terminal elements
631 41x 53, X can be digits from 0 to 9 (0 for Werma and 1 to 9 for customer versions)	USB Terminal elements
631 80x 55	Terminal elements
631 81x 53, X can be digits from 0 to 9 (0 for Werma and 1 to 9 for customer versions)	USB Terminal elements
Modular signal tower series KombiSIGN40, 634 11x 75	Signal elements optical, TwinLIGHT
Modular signal tower series KombiSIGN40, 634 12x 55	Signal elements optical, TwinFlash
Modular signal tower series KombiSIGN40, 634 13x 75	Signal elements optical, TwinLIGHT
Modular signal tower series KombiSIGN40, 634 14x 55	Signal elements optical, TwinFlash
Modular signal tower series KombiSIGN40, 634 21x 75	Signal elements optical, TwinLIGHT
Modular signal tower series KombiSIGN40, 634 22x 55	Signal elements optical, TwinFlash
Modular signal tower series KombiSIGN40, 634 23x 75	Signal elements optical, TwinLIGHT
Modular signal tower series KombiSIGN40, 634 24x 55	Signal elements optical, TwinFlash

Deborah Jennings-Conner

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-L164155-3210-82906102-1
Report Reference E164155-20160928
Date 17-Dec-2022

Modular signal tower series KombiSIGN40, 634 31x 75	Signal elements optical, TwinLIGHT
Modular signal tower series KombiSIGN40, 634 32x 55	Signal elements optical, TwinFlash
Modular signal tower series KombiSIGN40, 634 33x 75	Signal elements optical, TwinLIGHT
Modular signal tower series KombiSIGN40, 634 34x 55	Signal elements optical, TwinFlash
Modular signal tower series KombiSIGN40, 634 43x 75	Signal elements optical, TwinLIGHT
Modular signal tower series KombiSIGN40, 634 44x 55	Signal elements optical, TwinFlash
Modular signal tower series KombiSIGN40, 634 45x 55	Signal elements optical, Multicolour
Modular signal tower series KombiSIGN40, 634 51x 75	Signal elements optical, TwinLIGHT
Modular signal tower series KombiSIGN40, 634 52x 55	Signal elements optical, TwinFlash
Modular signal tower series KombiSIGN40, 634 53x 75	Signal elements optical, TwinLIGHT
Modular signal tower series KombiSIGN40, 634 54x 55	Signal elements optical, TwinFlash
Modular signal tower series KombiSIGN40, 635 70x 75	Signal elements acoustical, Siren
Modular signal tower series KombiSIGN40, 635 71x 75	Signal elements acoustical, Siren
Modular signal tower series KombiSIGN40, 635 80x 75	Signal elements acoustical, Siren
Modular signal tower series KombiSIGN40, 635 81x 75	Signal elements acoustical, Siren
Modular signal tower series KombiSIGN40, 636 11x 75	Signal elements optical, permanent light
Modular signal tower series KombiSIGN40, 636 12x 55	Signal elements optical, flashing light
Modular signal tower series KombiSIGN40, 636 13x 75	Signal elements optical, permanent light
Modular signal tower series KombiSIGN40, 636 14x 55	Signal elements optical, flashing light
Modular signal tower series KombiSIGN40, 636 21x 75	Signal elements optical, permanent light
Modular signal tower series KombiSIGN40, 636 22x 55	Signal elements optical, flashing light
Modular signal tower series KombiSIGN40, 636 23x 75	Signal elements optical, permanent light
Modular signal tower series KombiSIGN40, 636 24x 55	Signal elements optical, flashing light

Deborah Jennings-Conner

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-L164155-3210-82906102-1
Report Reference E164155-20160928
Date 17-Dec-2022

Modular signal tower series KombiSIGN40, 636 31x 75	Signal elements optical, permanent light
Modular signal tower series KombiSIGN40, 636 32x 55	Signal elements optical, flashing light
Modular signal tower series KombiSIGN40, 636 33x 75	Signal elements optical, permanent light
Modular signal tower series KombiSIGN40, 636 34x 55	Signal elements optical, flashing light
Modular signal tower series KombiSIGN40, 636 43x 75	Signal elements optical, permanent light
Modular signal tower series KombiSIGN40, 636 44x 55	Signal elements optical, flashing light
Modular signal tower series KombiSIGN40, 636 45x 55	Signal elements optical, Multicolour
Modular signal tower series KombiSIGN40, 636 51x 75	Signal elements optical, permanent light
Modular signal tower series KombiSIGN40, 636 52x 55	Signal elements optical, flashing light
Modular signal tower series KombiSIGN40, 636 53x 75	Signal elements optical, permanent light
Modular signal tower series KombiSIGN40, 636 54x 55	Signal elements optical, flashing light
Modular signal tower series KombiSIGN40, 960 63x 03	Tube extension (optional)
Modular signal tower series KombiSIGN40, 960 63x 07	Tube extension (optional)

Deborah Jennings-Conner

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

CERTIFICATE OF COMPLIANCE

Certificate Number	UL-US-L164155-1210-82906102-1
Report Reference	E164155-20160928
Date	17-Dec-2022
Issued to:	WERMA Signaltechnik GmbH + Co. KG Duerbheimer Str. 15 Rietheim-Weilheim 78604 Germany
This is to certify that representative samples of	NMTR - Power Circuit and Motor-mounted Apparatus See Addendum Page for Product Designation(s).
	Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.
Standard(s) for Safety:	UL 508, 18th Ed., Issue Date: 2018-03-30
Additional Information:	See the UL Online Certifications Directory at https://iq.ulprospector.com for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L164155-1210-82906102-1
Report Reference E164155-20160928
Date 17-Dec-2022

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
Modular signal tower series KombiSIGN40, 630 70x 75	Terminal elements
Modular signal tower series KombiSIGN40, 630 71x 00	Mounting adapter
Modular signal tower series KombiSIGN40, 630 72x 00	Mounting adapter
Modular signal tower series KombiSIGN40, 630 73x 00	Mounting adapter
Modular signal tower series KombiSIGN40, 630 80x 75	Terminal elements
Modular signal tower series KombiSIGN40, 630 81x 00	Mounting adapter
Modular signal tower series KombiSIGN40, 630 82x 00	Mounting adapter
Modular signal tower series KombiSIGN40, 630 83x 00	Mounting adapter
631 40x 55	Terminal elements
631 41x 53, X can be digits from 0 to 9 (0 for Werma and 1 to 9 for customer versions)	USB Terminal elements
631 80x 55	Terminal elements
631 81x 53, X can be digits from 0 to 9 (0 for Werma and 1 to 9 for customer versions)	USB Terminal elements
Modular signal tower series KombiSIGN40, 634 11x 75	Signal elements optical, TwinLIGHT
Modular signal tower series KombiSIGN40, 634 12x 55	Signal elements optical, TwinFlash
Modular signal tower series KombiSIGN40, 634 13x 75	Signal elements optical, TwinLIGHT
Modular signal tower series KombiSIGN40, 634 14x 55	Signal elements optical, TwinFlash
Modular signal tower series KombiSIGN40, 634 21x 75	Signal elements optical, TwinLIGHT
Modular signal tower series KombiSIGN40, 634 22x 55	Signal elements optical, TwinFlash
Modular signal tower series KombiSIGN40, 634 23x 75	Signal elements optical, TwinLIGHT
Modular signal tower series KombiSIGN40, 634 24x 55	Signal elements optical, TwinFlash

Deborah Jennings-Conner

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L164155-1210-82906102-1
Report Reference E164155-20160928
Date 17-Dec-2022

Modular signal tower series KombiSIGN40, 634 31x 75	Signal elements optical, TwinLIGHT
Modular signal tower series KombiSIGN40, 634 32x 55	Signal elements optical, TwinFlash
Modular signal tower series KombiSIGN40, 634 33x 75	Signal elements optical, TwinLIGHT
Modular signal tower series KombiSIGN40, 634 34x 55	Signal elements optical, TwinFlash
Modular signal tower series KombiSIGN40, 634 43x 75	Signal elements optical, TwinLIGHT
Modular signal tower series KombiSIGN40, 634 44x 55	Signal elements optical, TwinFlash
Modular signal tower series KombiSIGN40, 634 45x 55	Signal elements optical, Multicolour
Modular signal tower series KombiSIGN40, 634 51x 75	Signal elements optical, TwinLIGHT
Modular signal tower series KombiSIGN40, 634 52x 55	Signal elements optical, TwinFlash
Modular signal tower series KombiSIGN40, 634 53x 75	Signal elements optical, TwinLIGHT
Modular signal tower series KombiSIGN40, 634 54x 55	Signal elements optical, TwinFlash
Modular signal tower series KombiSIGN40, 635 70x 75	Signal elements acoustical, Siren
Modular signal tower series KombiSIGN40, 635 71x 75	Signal elements acoustical, Siren
Modular signal tower series KombiSIGN40, 635 80x 75	Signal elements acoustical, Siren
Modular signal tower series KombiSIGN40, 635 81x 75	Signal elements acoustical, Siren
Modular signal tower series KombiSIGN40, 636 11x 75	Signal elements optical, permanent light
Modular signal tower series KombiSIGN40, 636 12x 55	Signal elements optical, flashing light
Modular signal tower series KombiSIGN40, 636 13x 75	Signal elements optical, permanent light
Modular signal tower series KombiSIGN40, 636 14x 55	Signal elements optical, flashing light
Modular signal tower series KombiSIGN40, 636 21x 75	Signal elements optical, permanent light
Modular signal tower series KombiSIGN40, 636 22x 55	Signal elements optical, flashing light
Modular signal tower series KombiSIGN40, 636 23x 75	Signal elements optical, permanent light
Modular signal tower series KombiSIGN40, 636 24x 55	Signal elements optical, flashing light

Deborah Jennings-Conner

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L164155-1210-82906102-1
Report Reference E164155-20160928
Date 17-Dec-2022

Modular signal tower series KombiSIGN40, 636 31x 75	Signal elements optical, permanent light
Modular signal tower series KombiSIGN40, 636 32x 55	Signal elements optical, flashing light
Modular signal tower series KombiSIGN40, 636 33x 75	Signal elements optical, permanent light
Modular signal tower series KombiSIGN40, 636 34x 55	Signal elements optical, flashing light
Modular signal tower series KombiSIGN40, 636 43x 75	Signal elements optical, permanent light
Modular signal tower series KombiSIGN40, 636 44x 55	Signal elements optical, flashing light
Modular signal tower series KombiSIGN40, 636 45x 55	Signal elements optical, Multicolour
Modular signal tower series KombiSIGN40, 636 51x 75	Signal elements optical, permanent light
Modular signal tower series KombiSIGN40, 636 52x 55	Signal elements optical, flashing light
Modular signal tower series KombiSIGN40, 636 53x 75	Signal elements optical, permanent light
Modular signal tower series KombiSIGN40, 636 54x 55	Signal elements optical, flashing light
Modular signal tower series KombiSIGN40, 960 63x 03	Tube extension (optional)
Modular signal tower series KombiSIGN40, 960 63x 07	Tube extension (optional)

Deborah Jennings-Conner

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/